



High Strength Hypo





HIGH STRENGTH HYPOCHLORITE

MINI PRODUCTION PLANT



Produce Hypo Bleach Onsite, Safely.

RT HYPO FORTE, the safe, near zero-polluting and multi-configurable system produces bleach ranging from 5 % to 12.5% of trade grade hypochlorite.

RT HYPO FORTE produces pure bleach at the required concentrations either for own internal use on-site or alternatively distribution and packaging.

NES's RT HYPO FORTE, the membrane electrolysis technology provides safe and cost effective production of high purity, commercial-strength sodium hypochlorite solution with the simple, less expensive and easy source raw materials; purified salt (brine), water and electricity.

The RT HYPO FORTE electrochemical technology, a specific design for continuous production of commercial hypochlorite on-site, economically and harmless alternative to a disinfection with chlorine gas, chlorine bleaching or other compounds of chlorine.

Models

Туре	Model	Cl ₂ (Kg/day)	12% HYPO Production in terms of Volume (Liters/day)
Pilot Plant	RT HYPOFORTE 10	12	100
	RT HYPOFORTE 50	60	500
Mini Plant	RT HYPOFORTE 100	120	1000
	RT HYPOFORTE 500	600	5000
Production Plant	RT HYPOFORTE 1000	1200	10000
	RT HYPOFORTE 2000	2400	20000
	RT HYPOFORTE 5000	6000	50000

Mini Production Plant













1& 5. HYPO STORAGE TANKS6. ELECTROLYZER AREA

2. CONTROL UNIT



HIGH STRENGTH HYPOCHLORITE MODULAR SYSTEMS

Ready to use Prepacked Systems

Our Ready-to-Use systems are "Plug-and-Play" hypo bleach producing plant that are equipped with all required components such as Process Container, **Skids** including DM Plant, De-Chlorination Plant, Ion Exchange columns, Scrubbers, control unit and more.



Modular System









- 1. MEMBRANE ELECTROLYZER 2. CONTROL UNIT
- 3. DM PLANT 4. HYPO STORAGE TANKS
- 5. ION EXCHANGE COLUMNS










Contact

Noble Eco Systems Pvt. Ltd. 1/89, 1st Main Road, Indira Nagar, Vengaivasal. Chennai 126. INDIA.

Ph: +91 44 22780253 Mob: +91 9551288545 sales@noblechlor.com www.noblechlor.com



Dealers / Agents

